

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



~~HOUSTON, TEXAS~~ HOPEDALE, ILL. August 28th, 1914

Many of these have been botanized by and for our collectors. We tried to have them all correct. Of course some mistakes may be made. If so, we are always ready to return purchase money or replace with the proper sort. We have delayed this list many weeks to try to get it correct. Of course there may be errors. We are human and liable to mistakes. We want to correct them.

	Ea.	10	100	1000	Native
Achella multiflora "Yarrow" Sun, in sods	\$.05	\$.35	\$2.00	\$7.50	Here.
Acorus calamus "Calamus" Sweet Flag" Bogs or Swamp	.10	.50	2.50	8.00	"
<del>Actaea alba "White Asters" Violet, Shale &amp; Soil deep</del>	<del>.10</del>	<del>.75</del>			
Actaea alba "White Banenerry" Shades or ravines	.10	.75	4.50	30.00	E.&M.
" rubra "Red" " " " "	.15	.90	5.00		Mich.
Amorpha canescens "Lead Plant" Open sun-sods	.15	.75	3.00	15.00	Here.
Anemone cylindrical "Thimble Weed" Open sun	.10	.50	2.00	12.50	B&M
" Pennsylvanica "White A." Open woods and bottoms	.10	.50	1.75	12.00	Here
Anemonilla thalictroides "Rue Anemone" Woods	.10	.60	2.25	13.00	Ind.
Anemone numerosa "Wood Anemone" (Not the true)	.10	.50	3.00	16.00	"
Aquilegia Canadensis "Wild Columbine" Anywhere	.10	.50	3.00	30.00	H.&L.
Aralia racemosa "Spikenard" Ravines	.10	.80	5.00	35.00	" "
" quinquifolia " Ginseng" Rich shades 2yr.	.10	.60	5.00	Other grade	
Arisaema tryphillum "Indian Turnip" Open woods	.05	.35	2.00	12.00	H&L
" draconitium Dragon Leaved " "	.10	.50	3.00		Here
Asarum Canadensis "Wild Ginfir, Rich Shades	.05	.35	2.00	16.00	"
Asclepias incarnata "Swamp Milkweed" Open flats.	.10	.50	4.00	25.00	"
" tuberosa "Red" " or Butterfly Weed"	.10	.40	3.50		"
Asters, assorted colors-not botanized-to colors	.10	.40	3.00	15.00	"
" Mixed colors,	.05	.30	2.00	10.00	"MS

Baptisia bractata	"Bracted False Indigo", Sun	.15	1.00	6.00	Here
"	leucantha "Delicate white False Indigo"	.15	1.00	5.75	"

Caltha palustris "Marsh Marigold"	Eggy places	1 <sup>3</sup>	1.20	#75	3.00	22.50	Mich
"	"	"	3-5	Plant	01.20	1.25	6.00 40.00 Mich

Camissia Fraseri "Wild Hyacinth" Rich grounds	.15	1.25	9.00	Ind.
Campanula Americana "Tall Bellflower" Moist grounds	10	.50	3.00	20.00 Here

" rotundifolia" Harebell" Any location	.10	.50	2.75	17.50	M &
Carex plantagenia" Plantain Lvd Carex" Rich shades	.05	.30	2.00	12.00	Here
Carex plantagenia" Wild Carex" Plant" Rich shades	.15	1.00	2.00	10.00	"

Cassia nictitans "Wild Sensitive Plant" Open sun	.16	1.00	6.00	40.00	
Claytonia Virginica "Spring Beauty" Open woods	.05	.30	1.50	10.00	H.I.
Claytonia Virginica "Fountain Flower"	.15	1.00	4.00	20.00	Ham

Clematis Virona "Leather Flower"	.15	1.00	4.00	30.00	Herb
" Virginica "Virgins Bower"	.15	1.00	4.50		H &
Collinsia verna Moist soils	.10	.75	5.00		In

<i>Collinsia verna</i>	Moist soils	.10	.75	3.00	10
<i>Convolvulus arvensis</i>	"Lesser Bindweed" O.shade	.10	.60	3.75	Re
<i>Convallaria majalis</i>	"Lily-of-the-Valley" Pt.shade	.05	.40	2.00	17.50 Her

<del>Oxytripedium spectabile</del>	<del>Plants of 1-2 buds</del>	<del>BY BUDS</del>	.45	.75	3.00	25.00	High
"	"	"	.15	1.00	4.00	35.00	"

"	"	"	4-8	"	"	"	15	1.25	5.00	40.00	"
"	"	"	6 Sup	"	"	"	15	1.50	6.00		"
"	"	"	6 Sup	"	"	"	15	1.25	5.00		"

"	pubescens Large Lady's Slipper"	"	"	.15	1.25	8.00	"
"	puberiflorum "Smaller "	"	"	.15	1.00	4.00	35.00 Mi
"	aqualis "Brown "	"	"	.15	1.00	3.00	"

Desmodium Canadensis "Thick, Showy Trefoil (Sun.	.20	1.25	3.00	He
--	-----	------	------	----

Delphinium	exaltata	"Tall Larkspur"	Sunny sods	.10	.50	4.00
"	tricorn	"Dwarf "	Some shade	.10	.50	3.50

<i>Dicentra cucullaria</i> "Dutchmans Breeches"	Shades	.05	.30	2.00	15.00		
"	<i>Canadensis</i> "Squirrel Corn"	Caeer plants	.05	.30	1.50	10.00	1.50
<i>Echinacea angustifolia</i> "Purple Cone"	Butt. generally 8	.10	.75	5.00	35.00	He	

<i>Echinacea angustifolia</i> "Purple Cone-Flower"	Dry, gravelly	3.00	.75	3.00	35.00	he
<i>Equisetum hyemale</i> "Sawing Rush"	Damp, Sunny places	.05	.30	2.00	11.00	"
<i>Erythronium albidum</i> "White Adonis Tongue Violet"		.10	.60	3.50	22.50	"

"	Americanum "Yellow "	"	"	"	.10	.60	4.00	25.00	H.S
<i>Erigenia bulbosa</i>	"Harbingers-of-spring"	(Next Spr)	.10	.75	3.00	15.00	Ind		

Bryonia crebra "Western Vel. Wall Flower" Cliffs	10	.75	4.00		Fn
Bryonia yuccifolia "Button Snlae Root" C.sun.	10	.50	4.00	25.00	Hei

<i>Eupatorium</i>	<i>perifoliate</i>	"Bonaset"	Sun or part shade	.10	.30	4.50	30.00	"
"	<i>perpureum</i>	"Joe Pye Weed"	Low ground	.15	1.00	7.00		"
<i>Eupatorium</i>	<i>perfoliatum</i>	"Floerking Sunset"	Sun or shade	.10	.65	4.00	30.00	"


THE UNITED STATES OF AMERICA  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

WATER RESOURCES DIVISION  
NORTHWEST REGION  
PORTLAND, OREGON

WATER RESOURCES DIVISION  
NORTHWEST REGION  
PORTLAND, OREGON

of part

Plant Name	Price per plant	Price per 100 plants	Price per 1000 plants	Notes
<i>Joe Pye Weed</i>	.10	.60	4.50	
<i>umbellata</i> "Flowering" Sunny sods	.15	1.00	7.00	
<i>cyparissius</i> "Cypress Spruce"	.10	.35	4.00	25.00
<i>Carolineansis</i> "American Columbo"	.10	.50	2.50	17.50
<i>prostratus</i> "American Columbo"	.15	1.00		Ohio.
<i>prostratus</i> "Aromatic Wintergreen" Shade	.20	1.50	10.00	.50 (Glen)
<i>Androsii</i> "Glossed Gentian" Moist shades.	.10	.50	2.50	17.50 Mich
<i>ornata</i> "Fringed Gentian" Open, moist soils	.15	1.20	5.00	(1yr plant)
<i>Caroliniana</i> "Great Orange's Bill" Sun	.10	.40	2.00	15.00 Here
<i>nationalata</i> "Crane's Bill" Anywhere	.10	.40	2.75	12.00 "
<i>Many sorts</i> open sun bloom July-Nov.	.10	.60	3.00	22.50 Here
<i>holensis</i> "Elephant" Open or come shade	.20	1.50	10.00	Ohio
<i>versicolor</i> "Com. Blue Flag" "Almonds" Sun.	.10	.40	2.50	10.00 Here
<i>ornata</i> "Bristed Iris" Open border (N.C.)	.10	.40	3.50	20.00 N.C.
<i>princeps</i> "Dwarf Blue Iris" Nursery grown borders	.05	.35	2.00	12.00 Here
<i>False Rue Anemone</i> "Shades-woods	.05	.35	2.50	12.00 Here
<i>diffylla</i> "Twin-Leaf" Moist shades.	.10	.50	3.50	Here
<i>Virginia</i> "Cynthia" In open woods.	.10	.50	2.00	10.00 H.C.
<i>Vulgare</i>				
<i>spicata</i> "Blazing Star" Open sun, low ground	.10	.50	3.00	20.00 Here
<i>scarcia</i> " " " " " " High, gravelly	.10	.40	3.50	" "
<i>Philadelphicum</i> "Wood, or Wild Red L" Open Sh.	.10	.50	3.50	25.00 Mich
<i>superbum</i> "Turk's Cap Lily" First size	.10	.75	5.50	40.00 Mich
" " " " " " Seconds	.10	.50	3.00	27.50 "
<i>canadensis</i> "Yellow Maroon" Open sun.	.10	.50	2.50	Here
<i>capitata</i> "Bush Clover" Sods-sun.	.15	.75	4.50	" "
<i>cardinalis</i> "Cardinal Flower" Moist, rich soil	.10	.50	3.75	25.00 H.C.
<i>?</i> "Princes Pine"	.10	.40	2.50	17.50 Mich
<i>altatum</i> "Winged angled Loosestrife" Sun.	.10	.45	2.00	Here
<i>purpurea</i> "Horse Mint" Open Sun-sods.	.05	.35	2.00	8.00 Here
<i>Virginica</i> "Cowslip" "Blue Bells" Bottom #1	.10	.40	2.50	" "
" " " " " " (Best in shade)	.05	.35	1.50	(West will)
<i>piperita</i> "Mint" Low, rich soil	.05	.35	2.00	11.00 Mich
<i>trifoliata</i> "Buckbean"	.15	.75	3.50	25.00 Mich
<i>Virginica</i> "Indian Gumbo" Shades,	.10	.65	3.00	17.50 "
<i>Virginiana</i> "Bush Flower" Open sun in sod.	.10	.75	3.50	Here
<i>Canadensis</i> " "	.10	.70	3.25	22.50 Mich
<i>repans</i> "Partridge berry" Shade (Good clumps)	.15	1.00	8.00	40.00 "
<i>odorata</i> "Sweet Scented Water Lily"	.15	.75	5.00	35.00 "
<i>biennis</i> "Com. Evening Primrose" Sun. 1yr plant	.05	.40	2.50	17.50 Here
<i>variegata</i> "Sherry" " " " "	.10	.50	3.00	" "
<i>viola</i> "Violet Sheep Sorrel" Sun.	.05	.30	1.50	10.50 H.C.
<i>candidum</i> "Prairie Clover" Sun-sods.	.10	.50	3.00	15.00 Here
<i>violacea</i> "Violet O. " " "	.10	.50	3.00	15.00 "
<i>divaricata</i> "Sweet Williams" Shades-open woods				
<i>Pilosa</i> "Wild Red Phlox" Open sun-sods.				
<i>glaberrima</i> "Pink " " " "				
Either if above plants of 1 stem only	.05	.30	1.75	10.00 Here
" " " " 2-4 "	.10	.60	3.50	20.00 "
" " " " 4-6 "	.15	.75	4.00	30.00 "
" " " " 6-10 "	.15	1.00	5.00	40.00 "
" Extra heavy clumps-10 stem and up	.25	1.50	7.50	" "
<i>reptans</i> "Greek Valerian" Rich shades	.05	.35	2.00	12.00 "
<i>peltatum</i> "Mandrake" "May Apple" Op. Shade	.05	.30	1.75	12.00 "
<i>biflorum</i> "Giant Sp. Seal" Shade	.10	.50	3.00	30.00 "
<i>parviflora</i> "Flowering Wintergreen" Shade	.10	.40	2.00	15.00 Mich
<i>cordata</i> "Pickering Seed" Borders of Water	.15	1.00	6.00	50.00 "
<i>Canadensis</i> "Housewort" Corners & Banks	.05	.20	1.50	10.00 "
<i>Virginiana</i> "False Dragon Head" Sun	.10	.60	4.00	Here





<i>Androsace repens</i> "Purple Cone Flower" Anywhere	.15	.90	55.00	485.00	Here.
" <i>laciniosa</i> "Wild Golden Glow" Open rich.	.25	2.00	12.00	(Clumps)	Mich.
<i>Ruellia pedunculata</i> "Stemmed Ruella" Open banks-sunny	.05	.85	2.00	15.00	Here.
<i>SARRACENIA purpurea</i> "Pitcher Plant" Bogs	.10	.40	3.00	15.00	Mich.
<i>Saponaria officinalis</i> "Bouncing Bet" Anywhere	.05	.30	2.75	12.50	Here.
<i>Sisyrinchium angustifolium</i> "Blue Eyed Grass" Sun	.05	.40	2.00		Here.
<i>Solidago-assorted</i> "Golden Rod" (Clumps)	.10	.50	2.50	20.00	"Mich.
<i>Sanguinaria Canadensis</i> "Blood Root" Deep shade	.05	.30	2.00	12.50	Here.
<i>Silene Virginica</i> "Fire Pink" Open shades.	.10	.75	3.00		Ind.
<i>Smilacina racemosa</i> "False Solomon's Seal" Open woods.	.05	.35	2.00	14.00	H.S. Mich.
<i>Spiranthes cernua</i> "Lady's Tresses"	.10	.50	4.00	20.00	Mich.
<i>Spiraea lobata</i> "Queen-of-the-Prairie" Sun, sod.	.15	1.00	5.00	40.00	Here.
<i>Stylophorum diphyllum</i> "Celandine Poppy" Rich Woods.	.25	2.00	10.00		Ind.
<i>Tanacetum vulgare</i> "Tansy" Anywhere	.05	.30	1.50	10.00	Here.
<i>Thalictrum polygamum</i> "Tall Meadow rue"	.10	.50	1.75		"
<i>Triosteum perfoliate</i> "Tinker's Seed" Open woods.	.10	.50	2.00		"
<i>Tradescantia Virginica</i> "Spiderwort" Anywhere, (Blue)	.05	.30	2.00	12.00	"
" " <i>alba</i> "White"	.15	1.00			"
" " <i>Purpurea</i> "Violet S." Dwarf	.10	.75	5.00		"
<i>Trillium grandiflorum</i> , Firsts-shipped from here	.05	.30	2.00	12.00	Mich.
" " Collector's runashipt from Mich.			1.50	3.00	"
" " Medium grade			1.00	5.00	"
" <i>recurvatum</i> "Brown Trillium" Spotted leaved	.10	.50	2.50	15.00	Here.
" <i>nivale</i> "Dwarf White Trillium" Very Rarely	.10	.35	5.00	25.00	"
<i>Typha latifolia</i> "Cat Tails" Swamps	.10	.50	2.50	25.00	H.S. Mich.
<i>Uvularia perfoliate</i> "Bellwort" Rich Shades	.10	.30	1.75	11.00	" "
<i>Verbena hastata</i> "Blue Verbena" Open sun-sod.	.05	.30	2.00	13.00	Here.
<i>Veronica Virginica</i> "Solvers Root" Open shade	.10	.35	2.25	18.00	"
<i>Vernonia noveboracensis</i> "Iron Weed" Open sun	.10	.30	2.00	17.50	"
<i>Viola papilionacea</i> "Common Blue Violets" Some shade	.10	.30	2.00	16.00	"
" <i>Palmata</i> "Palm Leaved Violet" Sunny sods	.15	1.00			"
" <i>pedata</i> "Birds Foot Violet" single plants	.05	.35	3.00		H.S. Ind.
" <i>canina</i> "Dog Violets"	.05	.40	3.50	22.00	Mich.
" <i>Canadensis</i> "Canada Violet" (Clumps)	.25	1.50	10.00		"

This is not at all a complete list of what we can do, but the items that we think would be most in demand. Some of above cannot be had at this time, but nearly all of them can, and the rest of them in season next year.

Some of them can be supplied in 10,000 and 100,000 lots. If you are heavy buyers in any sort, ask for special quotations stating grade and amount that you will want. We will quote you close net prices.

We can do a much cheaper grade in most of above. Also, an especially heavy grade (As noted in Phlox, etc.) at a higher price. In *Trillium grandiflorum* we can do clumps of 10-25 plants, if wanted so. Same is true in violets and many others.

**EXPLANATION:**—First name is botanical name. We have taken pains that this is correct, but we admit that we are not infallible and in event of error, we will return purchase money or send the proper sort. It is mutually agreed that we are responsible in no farther way or to no farther amount than this. Second name is the accepted "Common name", or English designation. The third item, just before prices tells where these are located in nature. "Open sun-sods" indicates that we collect these out of dense sods in the open sun. Of course these - most of them will succeed in some shade and almost all of them in cultivated beds. "G. shade" means that these grows in open places in the timber in sprasely shaded places. "Deep shade"—most of these we collect off north hillsides where drainage is perfect, fertility ample and shaded by trees. Many of these will succeed in moderate shade if given moisture, rich soil and the other requisite. We tell where they are found in nature as a guide to you in planting them. Of course farther north, these same plants need less shade than here. Farther south, fully as much or more.

**LAST COLUMN** shows where we collect these, that is, principal points. Some plants are at many of our 60 collecting stations. In larger lots we ship from point of collection, usually. In the abbreviation, H or Here and Ill., means here in Illinois, usually near this point, the collections are made. I or Ind. Indiana—mostly from Logansport. Mich. Michigan, usually Harbor Springs. But we have collectors at other points, in Mich. but this station gets out several hundred thousands plants for us annually. N.C. North Carolina, usually in the mountain districts of Avery County. Ohio = Ohio, and so forth.

RECEIVED  
★  
U.S. DEPT. OF JUSTICE  
MAR 13 1964

noted  
top?

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED

U.S. DEPT. OF JUSTICE

RECEIVED